Plant Pathology

A record of current work on plant diseases and pests

INDEX
VOLUME 15, 1966

Author : *pages* **iii-iv**

Subject : *pages* **v-viii**

LONDON: HER MAJESTY'S STATIONERY OFFICE

AUTHOR INDEX

BENNETT, MARGERY (*joint author*), see Talboys, P. W., 49.

BEVAN, W. J. Control of Carrot Fly on Celery, with Notes on other Pests, 101.

BLACKETT, G. A. (*joint author*), see Shaw, M. W., 119.

BRUNT, A. A. The Occurrence of Cucumber Mosaic Virus and Four Nematode-transmitted Viruses in British Narcissus Crops, 157.

CALVERT, E. L. and HARRISON, B. D. Potato Mop-top, a Soil-borne Virus, 134.

CAMMACK, R. H. Little Cherry Virus in Ornamental Cherry, 31.

CAMMACK, R. H. Soil-borne Viruses in Rose, 47.

CARR, A. J. H. (*joint author*), see Michail, S. H., 60.

CATHERALL, P. L. Field-inoculating Barley with the Yellow-dwarf Virus, 41.

CONVERSE, R. H. (*joint author*), see Taylor, C. E., 170.

CRAGG, I. A. *Itersonilia perplexans* on Globe Artichoke, 47.

DENNIS, E. B. (*joint author*), see Vernon, J. D. R., 116.

DYSON, P. W. (*joint author*), see Lapwood, D. H., 9.

ELLIS, P. R. The Effects of Different Soil Drying Times on the Extraction from Soil and Hatching of Potato Root Eelworm, 175.

EVANS, S. G. Rust (*Puccinia pelargonii-zonalis*) of Pelargonium, 144.

FINNEY, J. (*joint author*), see Upstone, M. E., 15.

FLETCHER, J. T. and KINGHAM, H. G. Fusarium Wilt of Cucumbers in England, 85.

FLETCHER, J. T. and RYAN, C. L. J. A leaf Spot of Pelargonium caused by *Alternaria tenuis* Nees ex Pers., 69.

GAIR, R. (*joint author*), see Vernon, J. D. R,. 28.

GEORGE, K. S. A Survey of Leatherjacket Populations in England and Wales 1961-65, 1.

GIBBS, A. J. A Possible Correlation between Sugar Beet Yellows Incidence and Sunspot Activity, 150.

GOULD, H. J. Organophosphorus Insecticide Resistance in Aphids on Year-round Chrysanthemums, 109.

GRAHAM, C. W. Potato Root Eelworm and Tomato Rootstocks, 76.

GREET, D. N. (*joint author*), see Heathcote, G. D., 120.

GUILE, C. T. Cyst Chromogenesis in Potato Cyst Eelworm Pathotypes, 125.

HAMID, S. Bacterial Disease in Wheat Bulb Fly Larvae, 167.

HAMILTON, G. A. (*joint author*), see Osborne, P., 140.

HAMS, A. F. (*joint author*), see Noble, Mary, 23.

HARRISON, B. D. (*joint author*), see Calvert, E. L., 134.

HEATHCOTE, G. D., GREET, D. N. and WHITEHEAD, A. G. Effect of Fumigating Sandy Soil on the Growth of Sugar Beet, 120.

HESLING, J. J. Preliminary Experiments on the Control of Mycophagous Eelworms in Mushroom Beds, with a Note on their Swarming, 163.

HESLING, J. J. (*joint author*), see Winfield, A. L., 153.

HEWETT, P. D. *Ascochyta fabae* Speg. on Tick Bean Seed, 161.

HIDE, G. A. (*joint author*), see Macgarvie, Q. D., 72.

HOLLINGS, M. and STONE, OLWEN M. *Atriplex hortensis* L. as a Test Plant for Plant Viruses, 20.

KINGHAM, H. G. (*joint author*), see Fletcher, J. T., 85.

LAPWOOD, D. H. and DYSON, P. W. An Effect of Nitrogen on the Formation of Potato Tubers and the Incidence of Common Scab (*Streptomyces scabies*), 9.

LEAFE, E. L. (*joint author*), see Noble, Mary, 23.

LEGOWSKI, T. J. Experiments on Predator Control of the Glasshouse Red Spider Mite on Cucumbers, 34.

LEGOWSKI, T. J. The Economic Importance of Gall Mite and Reversion on Black Currants, 90.

LELLIOTT, R. A. (*joint author*), see Oxtoby, Judith, 129.

LEWIS, SERFIA and WEBLEY, D. Observations on Two Nematodes Infesting Grasses, 184.

MACGARVIE, Q. D. (*joint author*), see Noble, Mary, 23.

MACGARVIE, Q. D. and HIDE, G. A. *Verticillium* species from Potato Seed Stocks in Britain in 1965, 72.

MAUDE, R. B. Testing Steam/Air Mixtures for Control of *Ascochyta pisi* and *Mycosphaerella pinodes* on Pea Seed, 187.

MICHAIL, S. H. and CARR, A. J. H. Effect of Seed Treatment on Establishment of Grass Seedlings, 60.

NOBLE, MARY, MACGARVIE, Q. D., HAMS, A. F. and LEAFE, E. L. Resistance to Mercury of *Pyrenophora avenae* in Scottish Seed Oats, 23.

OSBORNE, P. and HAMILTON, G. A. Control of Tarsonemid Mites in Mushroom Sheds, 140.

OXTOBY, JUDITH and LELLIOTT, R. A. Bacterial Leaf Spot of Red Clover, caused by *Pseudomonas syringae*, in Great Britain, 129.

PATEL, D. M. Tests with the Nematicide 2, 4 - dichlorophenyl Methanesulphonate, 56.
PITT, D. *Fusarium redolens* attacking Tulips, 191.
PREECE, T. F. and WILCOX, H. J. Stages of Growth of the Chrysanthemum Flower, 71.

ROSBOROUGH, T. Experiments on Gall Weevil Control on Cauliflowers, 190.
ROSBOROUGH, T. Further Experiments on Cabbage Root Fly Control in Northern Ireland, 130.
RUSSELL, G. E. The Effect of Infection with *Peronospora farinosa* on the Susceptibility of Sugar Beet to *Erysiphe betae*, 97.
RYAN, C. L. J. Fusarium Wilt and Stem Canker of Larkspur, 96.
RYAN, C. L. J. (*joint author*), see Fletcher, J. T., 69.

SHAW, M. W. and BLACKETT, G. A. Unusual Frost Injury to Winter Sown Wheat and Barley, 119.
SHAW, M. W. and SUTHERLAND, J. P. Damage by the Gall Midge, *Wachtliella ericina* (F. Loew) to *Erica carnea* in Scotland, 192.
SMITH, L. P. and WALKER, JUDITH. Simplified Weather Criteria for Potato Blight Infection Periods, 113.
SOUTHEY, J. F. New Host-plant Records for Plant-parasitic Nematodes, 46.
SPROULE, T. R. M. and WRIGHT, C. E. A Rapid Technique for the Examination of Large Numbers of Ryegrass Samples for Blind Seed Disease, 180.
STONE, OLWEN M. (*joint author*), see Hollings, M., 20.
SUTHERLAND, J. P. (*joint author*), see Shaw, M. W., 192.

TALBOYS, P. W., WAY, D. W. and BENNETT, MARGERY. Comparison of Chloropicrin and Metham-sodium as Pre-planting Soil Treatments for Strawberry Wilt (*Verticillium dahliae* Kleb.) Control, 49.
TAYLOR, C. E., THOMAS, P. R. and CONVERSE, R. H. An Outbreak of Arabis, Mosaic Virus and *Xiphinema diversicaudatum* (Micoletzky) in Scotland, 170.
THOMAS, PAUL R. Stem Nematode Infestation of Narcissus Related to Growth of the Host for One Season, 65.
THOMAS, P. R. (*joint author*), see Taylor, C. E., 170.

UPSTONE, M. E. Tomato Rootstocks and the Control of Phytophthora Root Rot, 15.

VERNON, J. D. R. *Brevipalpus oncidii* Baker on orchids, 144.
VERNON, J. D. R. and DENNIS, E. B. Experiments on the Control of Woodlice, 116.
VERNON, J. D. R. and GAIR, R. Resistance to Dimethoate by Glasshouse Red Spider Mite, 28.

WALKER, JUDITH (*joint author*), see Smith, L. P., 113.
WATSON, MARION A. The Relation of Annual Incidence of Beet Yellowing Viruses in Sugar Beet to Variations in Weather, 145.
WAY, D. W. (*joint author*), see Talboys, P. W., 49.
WEBLEY, D. (*joint author*), see Lewis, Serfiah, 184.
WHITEHEAD, A. G. (*joint author*), see Heathcote, G. D., 120.
WILCOX, H. J. (*joint author*), see Preece, T. F., 71.
WINFIELD, A. L. and HESLING, J. J. Increase of Stem Eelworms in Stored Narcissus Bulbs, 153.
WRIGHT, C. E. (*joint author*), see Sproule, T. R. M., 180.

SUBJECT INDEX

Aldrin for the Control of:
  Aphids and Leaf Miner on Celery, 107.
  Cabbage Root Fly in Cauliflower, 131.
  Carrot Fly on Celery, 102.
  Woodlice, 117.
Alternaria tenuis, 69.
Anacampseros sp. as Host of *Meloidogyne incognita*, 46.
Aphelenchoides composticola, 163.
Aphelenchoides fragariae, 46.
Aphelenchoides fragariae on *Ranunculus aconitifolius*, 46.
Aphelenchoides ritzemabosi, 46.
Aphelenchoides ritzemabosi on *Calystegia sepium* and *Helenium* sp. 46.
Aphelenchus spp., 122.
Aphids:
  As Vectors of Beet Yellowing Viruses, 145.
  Control on Celery, 106.
  Organophosphorus Resistance on Chrysanthemums, 109.
Artichoke: Infection of *Cynara* with *Itersonilia perplexans*, 47.
Ascochyta fabae, 161.
Ascochyta hortorum, 47.
Ascochyta pisi, 187.
Atriplex hortensis as Test Plant for Viruses, 20.

Bacteria: Causing Disease in Wheat Bulb Fly, 167.
Barley:
  Attack by *Ditylenchus radicolus*, 185.
  Method of Field-inoculating with Yellow-dwarf Virus, 41.
  Unusual Frost Injury to Winter Sowing, 119.
Bean: *Ascochyta fabae* on Tick Bean Seed, 161.
BHC for the Control of:
  Cabbage Root Fly in Cauliflower, 131.
  Woodlice, 117.
Black Currant: Economic Importance of Gall Mite and Reversion, 90.
Brevipalpus oncidii, 144.
Brown Root Rot: Effect of Tomato Rootstock, 81.

Calystegia sepium as Host of *Aphelenchoides ritzemabosi*, 46.
Captan with lindane for Treatment of Grass Seeds, 60.
Cauliflower:
  Cabbage Root Fly Control in Northern Ireland, 130.
  Gall Weevil Control, 190.
Cavariella aegopodii, 106.
Cavariella pastinacea, 106.
Celery: Control of Carrot Fly and other Pests, 101.
Ceuthorhynchus pleurostigma, 190.
Cherry: Little Cherry Virus in Ornamental Cherry, 31.
Cheshunt Compound for Control of Phytophthora Root Rot in Tomatoes, 17.
Chlorfenvinphos for the Control of:
  Aphids and Leaf Miner on Celery, 107.
  Carrot Fly on Celery, 105.
Chloropicrin:
  Effect on Growth of Sugar Beet and Nematodes, 120.
  For Control of Strawberry Wilt, 49.
Chrysanthemum:
  Organophosphorus Resistance in Aphids, 109.
  Stages of Growth of the Flower, 71.
Clover: Leaf Spot of Red Clover caused by *Pseudomonas syringae*, 129.
Cocksfoot:
  Effect of Fungicidal Seed Dressings, 61.
  Infested by *Meloidogyne naasi*, 184.
Copper aceto-arsenite for the Control of: Woodlice, 117.
Cucumber:
  Control of Glasshouse Red Spider Mite by the Predator, *Phytoseiulus riegeli*, 34.
  Fusarium Wilt in England, 85.
  Observations on Plants grafted on to *Cucurbita ficifolia* Rootstocks, 87.
Cucurbita ficifolia as Rootstock for Cucumber, 87.
Cylindrocarpon radicicola, 61.
Cymadothea trifolii, 129.
Cynara scolymus, 47.

Dactylis glomerata, 60, 184.
D-D:
  Effect on Growth of Sugar Beet and Nematodes, 120.
  For Control of Potato Root Eelworm in Tomatoes, 79.
DDT for the Control of Woodlice, 117.
Delphinium ajacis, 96.
Demeton-methyl: Testing Effect on *Myzus persicae* on Chrysanthemums, 110.
Diazinon for the Control of:
  Aphids and Leaf Miner on Celery, 107.
  Cabbage Root Fly in Cauliflower, 131.
  Carrot Fly on Celery, 102.
  Gall Weevil on Cauliflower, 190.
  Woodlice, 117.
Dieldrin for the Control of:
  Carrot Fly on Celery, 104.
  Woodlice, 117.
Dimethoate: for Control of Glasshouse Red Spider Mite on Black Currants, 28.
2,4-dichlorophenyl methanesulphonate for Control of:
  Ditylenchus dipsaci, 56.
  Heterodera rostochiensis, 56.
  Meloidogyne incognita, 56.
  Panagrellus redivivus, 56.
  Turbatrix aceti, 56.
Disease Measurement: Stages of Growth of Chrysanthemum Flowers, 71.
Disulfoton for the Control of :
  Aphids and Leaf Miner on Celery, 107.
  Carrot Fly on Celery, 102.
Ditylenchus dipsaci, 46, 56, 65, 153.
Ditylenchus dipsaci on *Helenium* sp. and *Hebe* X *andersonii*, 46.
Ditylenchus myceliophagus, 163.

Ditylenchus radicolus, 184.
Drechslera avenae, 23.

Eelworm:
Aphelenchoides fragariae on *Ranunculus aconitifolius*, 46.
Aphelenchoides ritzemabosi on *Calystegia sepium and Helenium* sp. 46.
Control and Swarming of Mycophagous Eelworms in Mushroom Beds, 153, 163.
Cyst Chromogenesis in Potato Cyst Eelworm Pathotypes, 125.
Diplenchus dipsaci, 56.
Ditylenchus dipsaci on *Helenium* sp. and *Hebe* X *andersonii*, 46.
Effect of D-D and Chloropicrin in Sugar Beet, 122.
Effect of *Ditylenchus dipsaci* on Growth of Narcissus, 65.
Effects of Soil Drying Times on Extraction from Soil and Hatching of Potato Root Eelworm, 175.
Heterodera rostochiensis, 56.
Increase of *Ditylenchus dipsaci* in Stored Narcissus Bulbs, 153.
Meloidogyne hapla on *Philadelphus delavayi* and *Stachys lavandulaefolia*, 46.
Meloidogyne incognita, 56.
Meloidogyne incognita on *Anacampseros* sp. 46.
Meloidogyne naasi and *Ditylenchus radicolus* infesting grasses, 184.
Meloidogyne sp. on *Hepatica angulosa*, 46.
Panagrellus redivivus, 56.
Potato Root Eelworm and Tomato Rootstocks, 76.
Tests with 2,4-*dichlorophenyl methanesulphonate*, 56.
Turbatrix aceti, 56.
Xiphinema diversicaudatum as Vector of Arabis Mosaic Virus, 170.
Erica carnea, 192.
Erioischia brassicae, 130.
Erysiphe betae, 97.
Ethion for the Control of Carrot Fly on Celery, 102.

Fenchlorphos for the Control of:
Aphids and Leaf Miner on Celery, 107.
Carrot Fly on Celery, 102.
Fescue:
Effect of Fungicidal Seed Dressings, 61.
Infested by *Meloidogyne naasi*, 184.
Festuca pratensis, 60, 184.
Forecasting:
Beet Yellowing Viruses, 145.
Simplified Weather Criteria for Potato Blight, 113.
Frost Injury to Winter Wheat and Barley, 119.
Fusarium culmorum, 61.
Fusarium oxysporum, 85, 96.
Fusarium oxysporum f. *cucumerinum*, 85.
Fusarium oxysporum f. *delphinii*, 96.
Fusarium redolens, 191.

Gall Mite: Economic Importance on Black Currant, 90.
gamma-B.H.C. for the Control of:
Aphids and Leaf Miner on Celery, 107.
Cabbage Root Fly in Cauliflower, 131.
Carrot Fly on Celery, 102.
Gall Weevil on Cauliflower, 190.
Gloeotinia temulenta, 180.
Grasses: Effect of Seed Treatment on Establishment, 60.
Grassland: Leatherjacket Populations in England and Wales, 1.

Heather: Damage by Gall Midge, 192.
Hebe X *andersonii* var. *variegata* as Host of *Ditylenchus dipsaci*, 46.
Helenium sp. as Host of *Aphelenchoides ritzemabosi*, 46.
Helenium sp. as Host of *Ditylenchus dipsaci*, 46.
Hepatica angulosa as Host of *Meloidogyne* sp., 46.
Heterodera rostochiensis, 57, 76, 125, 175.
Heterodera spp., 122.

Itersonilia perplexans, 47.

Larkspur: Fusarium Wilt and Stem Canker, 96.
Leatherjackets:
Populations in England and Wales, 1961-65, 1.
Leptohylemyia coarctata, 167.
Lolium multiflorum, 60, 184.
Lolium perenne, 60, 180, 184.
Longidorus attenuatus, 121.
Losses caused by: Reversion in Black Currants, 92.

Macrosporium pelargonii, 69.
Malathion for the Control of:
Woodlice, 117.
Meadow Grass: Infested by *Meloidogyne naasi* and *Ditylenchus radicicolus*, 184.
Mecarbam for the Control of:
Aphids and Leaf Miner on Celery, 107.
Cabbage Root Fly in Cauliflower, 131.
Carrot Fly on Celery, 102.
Gall Weevil on Cauliflower, 190.
Meloidogyne sp., 46.
Meloidogyne hapla, 46.
Meloidogyne hapla on *Philadelphus delavayi* and *Stachys lavandulaefolia*, 46.
Meloidogyne incognita, 46, 57.
Meloidogyne naasi, 184.
Meloidogyne sp. on *Hepatica angulosa*, 46.
Methyl Bromide for the Control of: Tarsonemid Mites in Mushroom Sheds, 140.
Metham-sodium for Control of:
Potato Root Eelworm in Tomatoes, 79.
Strawberry Wilt, 49.
Mushrooms:
Control of Mycophagous Eelworms, 163.
Control of Tarsonemid Mites, 140.
Mycosphaerella pinodes, 187.
Myzus persicae, 109.

Nabam for Control of Phytophthora Root Rot in Tomatoes, 17.
Narcissus:
Cucumber Mosaic Virus and Nematode-transmitted Viruses in British Crops, 157.
Effect of *Ditylenchus dipsaci* on Growth, 65.
Increase of Stem Eelworm in Stored Bulbs, 153.
New or Uncommon Plant Diseases and Pests, 46, 96, 144, 191.
Nicotine for the Control of:
Woodlice, 117.
Nitrogen:
Effect on Tuber Formation and Common Scab, 9.

Oats:
Attack by *Ditylenchus radicicolus*, 185.
Resistance to Mercury of *Pyrenphora avenae*, 23.
Oniscus assellus, 117.
Orchids: *Bifrenia harrisoniae* infested with *Brevipalpus oncidii*, 144.
Organomercury for Control of Leaf Spot of Oats, 23.
Organomercury for Treatment of Grass Seeds, 60.
Organophosphorus Insecticides: Resistance of Red Spider Mites, 28.
Orthodichlorbenzene: for Control of Leatherjackets, 1.

Panagrellus redivivus, 56.
Parathion:
for the Control of: Woodlice, 117.
Resistance by *Myzus persicae* on Chrysanthemums, 110.
Paratylenchus spp., 122.
Paris Green for the Council of Woodlice, 117.
Pea: Steam/Air Mixtures for Control of *Ascochyta pisi* and *Mycosphaerella pinodes on Seed*, 187.
Pelargonium:
Leaf Spot caused by *Alternaria tenuis*, 69.
Puccinia pelargonii-zonalis recorded in Britain, 144.
Pelargonium X *domesticum*, 69.
Pelargonium X *hortorum*, 69.
Peronospora farinosa, 97.
Phleum pratense, 60.
Philadelphus delavayi as Host of *Meloidogyne hapla*, 46.
Philophylla heraclei, 106.
Phytophthora cryptogea, 15.
Phytophthora verrucosa, 15.
Phytoseiulus riegeli, 34, 39.
Phytotoxicity: Methyl Bromide on Mushroom Mycelium, 141.
Poa spp, 84.
Potato:
Cyst Chromogenesis in Cyst Eelworm Pathotypes, 125.
Effect of Nitrogen on Tuber Formation and Common Scab, 9.
Mop-top Virus, 134.
Simplified Weather Criteria for Blight Infection Periods, 113.
Verticillium spp. from Stocks in Britain in 1965, 72.
Pratylenchus spp., 122.
Prunus spp.: Incidence of Little Cherry Virus in England, 31.
Pseudomonas syringae, 129.
Psila rosae, 101.
Puccinia pelargonii-zonalis, 144.
Pyrenophora avenae, 23.
Pythium, sp., 61.
Pythium ultimum, 61.

Raspberry: Outbreak of Arabis Mosaic Virus in Scotland, 170.
Ranunculus aconitifolius as Host of *Aphelenchoides fragariae*, 46.
Red Spider Mite:
Control of *Tetranychus urticae* on the Predator *Phytoseiulus riegeli*, 34.
Resistance of *Tetranychus urticae* to dimethoate, 28.
Rose:
Arabis Mosaic Virus in England, 47.
Association of Arabis Mosaic Virus in Scotland, 170.
Strawberry Latent Ring Spot Virus in England, 47.
Ryegrass:
Effect of Fungicidal Seed Dressings, 61.
Examination of Seed for Blind Seed Disease, 180.
Infested by *Meloidogyne naasi*, 184.

SD 7727 for Control of:
Diplenchus dipsaci, 56.
Heterodera rostochiensis, 56.
Meloidogyne incognita, 56.
Panagrellus redivivus, 56.
Turbatrix aceti, 56.
Seed Disinfection:
Effect of Establishment of Grass Seedlings, 60.
Resistance of Oat Leaf Spot to Mercury, 23.
Sodium fluoride for the Control of:
Woodlice, 117.
Stachys lavandulaefolia as Host of *Meloidogyne hapla*, 46.
Steam/Air Mixtures for Control of *Ascochyta pisi* and *Mycosphaerella pinodes* on Pea Seed, 187.
Steam/Air Mixtures for Control of Fungi on Pea Seed, 187.
Strawberry: Chloropicrin and Methamsodium for Control of *Verticillium dahliae*, 49.
Streptomyces scabies, 9.
Sugar Beet:
Effect of Fumigating Sandy Soil on Growth, 120.
Effect of *Peronospora farinosa* on Susceptibility to *Erysiphe betae*, 97.
Possible Correlation with Sunspot Activity, 150.
Relation of Annual Incidence of Beet Yellowing Viruses to Variations in Weather, 145.

Sunspots: Possible Correlation with Sugar Beet Yellows, 150.
Surveys:
Ascochyta fabae on Tick Bean Seed, 161.
Leatherjacket Populations in England and Wales, 1961-65, 1.
Verticillium spp. in Potato Seed Stocks in Britain in 1965, 72.

Tarsonemus myceliophagus, 140.
Tetranychus urticae, 28, 34.
Thionazin for Control of Eelworms in Mushroom Beds, 164.
Thiram for Control of *Alternaria tenuis* on Pelargonium, 70.
Timothy: Effect of Fungicidal Seed Dressings, 61.
Tipula spp., 1.
Tomato:
Control of *Meloidogyne incognita* and *Heterodera rostochiensis* with SD 7727, 57.
Potato Root Eelworm and Rootstocks, 76.
Rootstocks and Control of Phytophthora Root Rot and Verticillium Wilt, 15.
Trichlorphon for the Control of:
Aphids and Leaf Miner on Celery, 107.
Carrot Fly on Celery, 102.
Tulip: Attack by *Fusarium redolens* in Scotland, 191.
Turbatrix aceti, 56.
Tylenchorhynchus spp., 122.
Tylenchus spp., 122.

Verticillium dahliae, 15, 49.
Verticillium nigrescens, 73.
Verticillium nubilum, 73.
Verticillium tricorpus, 73.
Virus Diseases:
Arabis Mosaic in Narcissus, 157.
Arabis Mosaic Virus in Association with Raspberry and Rose in Scotland, 170.
Arabis Mosaic Virus in Rose, 47.
Atriplex hortensis as Test Plant for Arabis mosaic, Carnation mottle, Carnation vein mottle, Hydrangea ring spot, Pea mosaic, Pelargonium leaf curl, Potato virus X, Raspberry ring spot, Sugar beet mosaic, Tobacco mosaic, Tomato black ring, Tomato ring spot, Tomato spotted wilt, Turnip crinkle and other viruses, 20-21.
Barley Yellow-dwarf, 41.
Cucumber Mosaic in Narcissus, 157.
Economic Importance of Reversion in Black Currant, 90.
Little Cherry, 31.
Potato Mop-top, 134.
Strawberry Latent Ring Spot in Narcissus, 157.
Strawberry Latent Ring Spot Virus in Rose, 47, 157.
Sugar Beet Yellows, 145, 150.
Sugar Beet Mild Yellows, 145, 150.
Tobacco Rattle in Narcissus, 157.
Tobacco Rattle on Potato Compared with Mop-top, 137.
Tobacco Rattle on Sugar Beet, 120.
Tomato Black Ring in Narcissus, 157.
Tomato Black Ring on Sugar Beet, 120.
Tylenchorhynchus spp., 122.

Wachtiella ericina, 192.
Weather in England and Wales:
Spring and Summer, 1965, 45.
Autumn and Winter, 1965-66, 143.
Wheat Bulb Fly: Bacterial Disease, 167.
Wheat:
Attack by *Ditylenchus radicicolus*, 185.
Unusual Frost Injury to Winter Sowing, 119.
White Oil: Effect on Glasshouse Red Spider Mite and its Predator *Phytoseiulus riegeli*, on Cucumbers, 39.
Woodlice: Experiments on Control, 116.

Xiphinema diversicaudatum, 170.

Zineb for Control of *Alternaria tenuis* on Pelargonium, 70.

Printed in England for Her Majesty's Stationery Office by Lightbowns Ltd.,
Ryde, Isle of Wight